



ลูกดัง



จั่งจ๊อ

The Mortar Expert



PRODUCTS CATALOG 2024

QUICKCOAT

Quick Coat Products Co., Ltd. is a manufacturer and distributor of PLUMB and KANGAROO Mortar. The Company was founded in 1993 by a group of experts in many fields such as chemists, engineers and geologists who jointly developed a mortar product that is most suitable for plastering lightweight block. With the determination and endeavor of the experiment, we have developed **the first and the best plastering mortar for lightweight block in Thailand** under the brand **"PLUMB"** or **"RED PLUMB"** and the masonry mortar for lightweight block under the brand **"KANGAROO"** or **"PURPLE KANGAROO"** which were well known among all builders to this day

Over the past 30 years, we have been trusted by many of leading real estate developers and construction companies in Thailand. We are committed to producing and developing high quality products and keeping up with the technology and demands of professional builders for the success of construction and impressive results for both builders and residents in every project. In any construction project, we are ready to use our experience to provide the best products to our customers in accordance with our intention to be a company that **"THE MORTAR EXPERT"**

2536 : Our Beginning

Quick Coat Products Co., Ltd. The Company was founded by a group of experts consisting of cement chemists and geologists from Thailand and Australia who jointly developed quality cement products for plastering especially for lightweight block under the concept of **"We only produce the best products"**.

2540 : Legendary Masonry Mortar

KANGAROO Masonry Mortar for Lightweight Block has been released into the market and created the legend of the best masonry mortar with the highest adhesion strength. Our masonry mortar can hold the hearts of Thai builders and has been ranked **number one in sales to date**.

2557 : 20th Anniversary of Quick Coat

17 December 2014 : Quick Coat's 20th Anniversary Party was held at the Royal Thai Navy Convention Hall.

2563 : Robotic Production

Phase 2 Factory with **Robotic Production** system started the operation to triple production capacity with large warehouse and raw materials.

2564 : PLUMB Skim Coat, 100% Coverage in One Coat

The marketing campaign **"PLUMB Skim Coat"** aims to be the number 1 thin plastering mortar in the minds of builders.

2565 KANGAROO Adhesive, the Excellent Adhesion

A new product of KANGAROO Brand, Standard Tile Adhesive Mortar, was launched.

2539 : Our First Bag of Mortar

PLUMB Plastering Mortar for Lightweight Block was first launched at Dusit Avenue Project, where we were discovered and recognized by builders who are real users.

PLUMB Mortar...We are the first and the best plastering mortar for lightweight block in Thailand.

2552 : Thai Builders' Favorite Skim Coat

We are the pioneer of thin plastering mortar skim coat in Thailand. With the excellent properties of **PLUMB Skim Coat** or **YELLOW PLUMB** which include soft and smooth texture, easy to polish without much effort, and can also fix uneven wall surfaces, hair cracks, tiny holes or wavy walls. This makes Thai builders to be **"The best skim coat for surface finish"** has always been number one in sales.

2560 : No Separation, No Crack

PLUMB Mortar launches the campaign **"No separation, no crack"** promoting reconciliation between vocational students.

2564 : New Corporate Identity

Our major rebranding that transforms the corporate identity and **"PLUMB"** and **"KANGAROO"** by considering the proportion of lightweight block as the core design in line with what we have always specialized in under the slogan **"PLUMB Mortar, Best Partner of Lightweight Block"**.

2566 : PURPLE KANGAROO Expert of Masonry, Master of Adhesive

Introducing the new **PURPLE KANGAROO 2 in 1**, the first Masonry and Tile Adhesive Mortar in Thailand, showcasing superior properties, and ensuring excellent value in the mortar market.



Factory

📍 Ratchaburi

Our **factory** is located in Mueang District, Ratchaburi Province on an area of over 90 rai. Our factory has a production capacity of over 800,000 tons of mortar per year, or equivalent to 20 million bags of mortar per year, and is a nationwide distribution center for quick, fast transportation with access to all areas. This is in order to meet the demands of the continuously growing construction business market.



International quality standard and environmental friendliness



The quality of raw materials



Robotic Production system



Natural solar energy



Head Office

📍 Nonthaburi

Located on Nakorn In Road, Nonthaburi Province, our **head office** stands out with service which is the heart of Quick Coat. We attach great attention to every detail to ensure that every customer receives the best experience from the start to the after-sales with a focus on support and solving problems together with our partners and users of our products through 3 quality teams.



QUICK Delivery



QUICK Technical Support



QUICK Customer Service

Plastering




Skimcoat




Masonry



Wall Repair



Construction Chemicals



Tile Adhesive



Flooring





PLUMB, Good Mortar and a Builder's Secret

A **plumb (Lookding)** is a tool for builders. It is a plummet with a pointed end and a rope attached at the other.

It is used to find a vertical line perpendicular to the earth to serve as a reference line for construction.

A **plumb** is also one of the tools of Vishnu, the father of construction, held in his left hand. All Thai builders considered it as a symbol of precise and accurate construction.

PLUMB is a representative brand of mortar products for plastering, skim coat and special repair under Quick Coat Products Co., Ltd.

"**RED PLUMB**" Plastering Mortar for Lightweight Block is our first product that has established a reputation for our organization, the characteristics of plumb also reflect the vision of management and business practices of an organization that focuses on precision, fairness and honesty to customers, partners and employees in the organization.





มอก.2735-2559

ลูกดัง

ฉาบอิฐมวลเบา



เหนียว
นุ่ม ลื่น
ที่สุด

ปูนฉาบอันดับ **1**
คู่แท้อิฐมวลเบา



มอก.3056-2563

ลูกดัง

สทิมโค้ท



ทุกผนัง **เนียนกริบ**
ปิดรอย **100%***

*ในกรณีฉาบปิดรอยแตกขนาดเล็ก, ผนังที่มีเม็ดทรายหยาบ
ฉาบที่ความหนาไม่เกิน 2 มม.

Plastering

เจ้าแรก
ของไทย



CP001

PLUMB Plastering Mortar for Lightweight Block


Properties

- For plastering on lightweight block
- The first plastering mortar in Thailand
- Good bonding strength and reduced cracks thanks to special fibers added
- Soft and smooth texture, easy to plaster without much effort
- Longer cure time
- Contain water retention agent preventing water loss
- Smoother plastered surface due to fine sand
- Can be used with a plastering mortar sprayer
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Cover an area of approximately 2.6 sq.m. at a thickness of 1 cm.

Pack Size: 40 kg/bag



มอก.2735-2559



สแกน



CP105

PLUMB Plastering Mortar for General Block


Properties

- For plastering on red block, concrete block, and white block
- Good bonding strength and reduced cracks thanks to special fibers added
- Soft and smooth texture, easy to plaster without much effort
- Contain water retention agent preventing water loss
- Smoother plastered surface due to fine sand
- Can be used with a plastering mortar sprayer
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Cover an area of approximately 2.4 sq.m. at a thickness of 1 cm.

Pack Size: 40 kg/bag



สแกน



CP003

PLUMB Plastering Mortar for Concrete Block


Properties

- For plastering on concrete structure, column-beam, floor, staircase and elevator concrete wall
- Good bonding strength with reduced peeling off
- Soft and smooth texture, easy to plaster without much effort
- Longer cure time
- Contain water retention agent preventing water loss
- Smoother plastered surface due to adhesion promoter
- Can be used with a plastering mortar sprayer
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Cover an area of approximately 2.4 sq.m. at a thickness of 1 cm.

Pack Size: 40 kg/bag



สแกน

Thin Plastering / Skim Coat

ประหยัด
100%



CP015/A

PLUMB Skim Coat for Decoration and Repair Surfaces (White)

Properties

- Can be used on both bare cement wall and primed wall
- For fixing coarse-grained, uneven, wavy wall and surface finishing for formwork joints or tiny holes
- For One-Coat thin plastering at a thickness of about 1-2 mm
- Strong and tough cement surface but easy to polish without much effort
- Contain a variety of specially selected aggregates and special adhesion promoter
- Can be used on bare wall, concrete wall, precast wall, soft wall
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Cover an area of approximately 20-25 sq.m. at a thickness of 1-2 mm.

Pack Size: 20 kg/bag



มอก.3056-2563



CP051

PLUMB Skim Coat for Decoration and Repair Surfaces (Grey)

Properties

- Can be used on both bare cement wall and primed wall
- For fixing coarse-grained, uneven, wavy wall and surface finishing for formwork joints or tiny holes
- For One-Coat thin plastering at a thickness of about 1-2 mm
- Strong and tough cement surface but easy to polish without much effort
- Contain a variety of specially selected aggregates and special adhesion promoter
- Can be used on bare wall, concrete wall, precast wall, soft wall
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Cover an area of approximately 20-25 sq.m. at a thickness of 1-2 mm.

Pack Size: 20 kg/bag



CP015/K

PLUMB Skim Coat for Decoration and Repair Surfaces (Light Grey)

Properties

- Can be used on both bare cement wall and primed wall
- For fixing coarse-grained, uneven, wavy wall and surface finishing for formwork joints or tiny holes
- For One-Coat thin plastering at a thickness of about 1-2 mm
- Strong and tough cement surface but easy to polish without much effort
- Contain a variety of specially selected aggregates and special adhesion promoter
- Can be used on bare wall, concrete wall, precast wall, soft wall
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Cover an area of approximately 20-25 sq.m. at a thickness of 1-2 mm.

Pack Size: 20 kg/bag



Thin Plastering / Skim Coat

**สำหรับ
งานรีโนเวท**



CP015/B

PLUMB Super Skim Coat for Painted Surfaces (White)

Properties

- For decorating and fixing old wall and painted surface without the need to peel off old paint*, primed and unpainted surface
- For fixing coarse-grained, uneven, wavy wall and surface finishing for formwork joints or tiny holes
- For One-Coat thin plastering at a thickness of about 1-2 mm
- Strong and tough cement surface but easy to polish without much effort
- Contain a variety of specially selected aggregates and special adhesion promoter
- Can be used on bare wall, concrete wall, precast wall, soft wall
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Cover an area of approximately 20-25 sq.m. at a thickness of 1-2 mm.

Pack Size: 40 kg/bag



CP015/L

PLUMB Loft Cement for Decoration

Properties

- Decorative plastering cement for quick and easy loft style
- Made from real cement with natural mortar color giving a true loft texture
- Can be used on all surfaces

New wall : bare cement wall, concrete wall, unpainted surface. or primed surface

Old wall : can be used on painted wall without the need to peel off the old paint*

- Suitable for both indoor and outdoor applications
- Provides a clear loft pattern without the need for a polisher
- Cost-effective with large are coverage

Area Coverage (sq.m./bag)

- Cover an area of approximately 20-25 sq.m. at a thickness of 1-2 mm.

Pack Size: 20 kg/bag

**For slippery surfaces with anti-adhesion such as oil-painted surface, shield painted surface or surface with paint peeling off or deteriorated paint, the paint must be removed before applying the product.*

Special Repair



CP046/E



CP046/E1

Crack Repair Mortar (With sand/Without sand)

คุณสมบัติ

- ชนิดมีกรวย เนื้อปูนแข็งเกราย สำหรับผนังปูนฉาบทั่วไป
- ชนิดไม่มีกรวย เนื้อปูนเนียนละเอียด สำหรับผนังฉาบสกินโค้ก
- มีความยืดหยุ่นสูงถึง 50%
- ยึดเกาะดีเยี่ยม
- สามารถใช้ได้กับพื้นผิวคอนกรีต ไม้ และพลาสติก
- ป้องกันการซึมได้ดียเยี่ยม
- ใช้ได้ดีทั้งภายในและภายนอกอาคาร

Area Coverage (sq.m./bag)

- For thin plastering or putty, cover an area of approximately 3-6 sq.m.

Pack Size: 1 kg/bag

Construction Chemicals



DB-77

PLUMB Bonding Agent Latex



Properties

- Excellent adhesion strength, preventing peeling off
- Reduces cracking
- Good adhesion between existing and new tiles
- Durable with longer service life
- Reduces water leakage

Area coverage (sq.m./bag)

- A 1 L-bag can cover an area of approximately 15-20 sq.m.
- A 5 L-bag can cover an area of approximately 75-100 sq.m.

Pack Size: 1 L/bag, 5 L/bag



สแกน



DS-22

PLUMB Water Repellent Semi-Gloss



Properties

- Waterproof, prevents mold, algae and dirt buildup
- Maintains the original surface color, making the loft pattern clearly visible
- Prevents hard water stains when exposed to moisture
- Suitable for many types of walls such as loft walls, polished mortar, exposed brick wall, terracotta tiles, sandstone, exposed aggregate finish
- Resistant to environmental conditions, UV light, sunlight, rain
- Durable and anti-dust, protects and maintains original color of surface
- Safe without a pungent smell as it doesn't contain any thinner
- Suitable for both indoor and outdoor applications
- Good value

Area Coverage (sq.m./bag)

- A 1 L-bag can cover an area of approximately 8-14 sq.m.
- A 4.5 L-bag can cover an area of approximately 36-63 sq.m.

Pack Size: 1 L/bag, 4.5 L/bag




สแกน



DW201

PLUMB Flexible Waterproofing Cement 2K



Properties

- For plastering or applying on concrete surfaces, masonry walls.
- Convenient, fast and easy to mix
- Good flexibility and excellent adhesion
- 100% waterproof
- Conceal small cracks and cover surface pores
- Resistant to weather condition, sun, rain, water pressure and can be used for waterproofing before tile installation
- Can be left as bare surface or painted
- Suitable for wet areas such as bathrooms, kitchens, balconies, decks and swimming pools.
- Suitable for indoor and outdoor applications

Area Coverage (sq.m./bag)

- Covering an area of approximately 9 sq.m. (2 coats)

Pack Size: Part A 18 kg, Part B 1 L



สแกน



คังคัง

KANGAROO, a good helper for builder

Kangaroo is the national animal of Australia. It is a marsupial mammal with special pouch for its baby. It has long, strong hind legs for long jumps and a strong tail for balance. Kangaroo is a high-energy, alert, gregarious, family-loving and friendly animal.

KANGAROO, or known as “PURPLE KANGAROO” among the builders, is the first masonry mortar brand for lightweight block in Thailand with a technology from Australia combining with modern innovations to meet the needs of surface and structural works.

KANGAROO is a representative brand of mortar products for concrete structure, adhesive, and concrete floor under Quick Coat Products Co., Ltd.

In addition, the characteristics of kangaroo reflect the enthusiasm, optimism and friendliness that Quick Coat strives to offer its customers through unsurpassed and accessible service. The kangaroo also represents the identity of the executive who drives the organization with positive energy and treats its personnel like his own family members.



จ้งโจ้ 2อิน1



ก่อ-ทาสี
ถุงเดียวคุ้ม!

*งานทาสีติดกระเบื้องเฉพาะพื้นภายในเท่านั้น

จ้งโจ้ ทาสีเมนต์

ติดกระเบื้อง แผ่นใหญ่สุด
90x90 ซม.



กระเบื้องติดแน่น
ไม่หลุดร่อน

*กระเบื้องขนาด 60x60 ซม. ขึ้นไป แนะนำให้ทำแนวตั้งรับ



CP007

KANGAROO Masonry and Tile Adhesive Mortar

จิงโจ้
2ใน1



Properties


Masonry Mortar for Lightweight Block

- Highest quality masonry mortar for lightweight block wall
- Quick dry masonry mortar, reducing the need to pour water on the blocks before masonry
- Excellent adhesion within 10 seconds with right setting time for block alignment.
- Tough and not crumbly texture with short setting time
- For masonry of non-load bearing and load bearing lightweight block walls at a line thickness of only 2-3 mm
- Suitable for indoor and outdoor walls

Area Coverage (sq.m/bag)

Lightweight block wall

| Block thickness | 7.5 cm. | 10 cm. |
|------------------|---------|-----------|
| Average coverage | 26 sq.m | 19.5 sq.m |



Tile Adhesive

- Great for tiles up to 60x60 cm
- Easy to use, convenient, reduces the work steps by eliminating the immersion process
- Suitable for tile with high water absorption such as terracotta tile and ceramic tile
- Ideal for interior floor
- Excellent adhesion and texture with right setting time for tile alignment

Area Coverage (sq.m/bag)

Tile adhesive

| Size of notched trowel | 3 mm. | 6 mm. | 12 mm. |
|------------------------|---------|--------|--------|
| Average coverage | 16 sq.m | 8 sq.m | 4 sq.m |

Pack Size: 40 kg/bag

*เหมาะสำหรับงานทากวติดกระเบื้องพื้นภายใน



CP008

KANGAROO Masonry Mortar for General Block

Properties


- Masonry mortar for general block such as red block, concrete block and white block
- Contains a varies ty of special selected aggregates for good bonding strength, durable, tough
- Contains water retention agent
- Suitable for small storage areas, high-rise buildings or additions
- Suitable for indoor and outdoor wall

Area Coverage (sq.m/bag)

Area coverage at a line thickness of 1-1.5 cm

| Type of block | Red block | Concrete block | White block |
|------------------|-----------|----------------|-------------|
| Average coverage | 1.0 sq.m | 2.1 sq.m | 1.9 sq.m |

Pack Size: 40 kg/bag



Tile Adhesive



JA201

GREEN KANGAROO Standard Tile Adhesive Mortar

Properties

- Great for large tiles up to 90×90* cm
- Suitable for tiles with high water absorption such as terracotta tile and ceramic tile, and low water absorption tiles such as mosaic, porcelain and Granito
- Ideal for marble and granito up to 60×80 cm (for flooring)
- Reduces the work steps by eliminating the immersion process,
- Excellent adhesion strength
- Tough texture with long setting time for tile alignment
- Good adhesion, durable, and not peeling off
- Suitable for both floor and wall
- Ideal for indoor and outdoor applications

Area Coverage (sq.m./bag)

| Size of notched trowel | 3 mm. | 6 mm. | 9 mm. | 12 mm. |
|---------------------------|---------|--------|--------|--------|
| Approximate area coverage | 12 sq.m | 6 sq.m | 4 ตร.ม | 3 sq.m |

Pack Size: 20 kg/bag



JA101

BLUE KANGAROO SuperSave Tile Adhesive Mortar

Properties

- Great for large tiles up to 60×60 cm
- Suitable for tiles with high water absorption such as terracotta tile and ceramic tile, and low water absorption tiles such as mosaic, porcelain and Granito
- Reduces the work steps by eliminating the immersion process,
- Excellent adhesion strength
- Tough texture with right setting time for tile alignment
- Suitable for both floor and wall
- Ideal for indoor and outdoor applications

Area Coverage (sq.m./bag)

| Size of notched trowel | 3 mm. | 6 mm. | 9 mm. | 12 mm. |
|---------------------------|---------|--------|--------|--------|
| Approximate area coverage | 12 sq.m | 6 sq.m | 4 ตร.ม | 3 sq.m |

Pack Size: 20 kg/bag



JA301

RED KANGAROO Waterproof Tile Adhesive Mortar

Properties

- Good adhesion strength with tough and sticky texture
- Excellent adhesion and durable, eliminating tile falling off
- Durable even in waterlogged conditions, bathrooms, kitchens, swimming pools
- Resistant to water, chlorine, salt water
- For installation of general tiles, ceramics, mosaics, porcelain, granitos
- Suitable for installation of marble, granite (natural stone size of 60×60 cm)
- Can be used to install large tiles up to 100×100 cm
- Suitable for both floor and wall
- Ideal for indoor and outdoor applications

Area Coverage (sq.m./bag)

| Size of notched trowel | 3 mm. | 6 mm. | 9 mm. | 12 mm. |
|---------------------------|---------|--------|--------|--------|
| Approximate area coverage | 12 sq.m | 6 sq.m | 4 ตร.ม | 3 sq.m |

Pack Size: 20 kg/bag



Tile Adhesive



JA401

GOLDEN KANGAROO Highest Strength Tile Adhesive Mortar

Properties

- Good flexibility with highest adhesion strength
- Sticky and tough texture for good adhesion, durable, eliminating tile falling off
- You can lay tiles over the existing tiles
- Resistant to vibration
- Can be used on all surfaces and materials such as plywood, fiber cement board, viva board and cement board.
- For installation of general tiles, ceramics, mosaics, porcelains, granitos
- Marble, granite, natural stone, glass mosaic
- Suitable for extra large tiles 100x100 cm and over
- Suitable for both floor and wall
- Ideal for indoor and outdoor applications

Area Coverage (sq.m./bag)

| Size of notched trowel | 3 mm. | 6 mm. | 9 mm. | 12 mm. |
|---------------------------|---------|--------|--------|--------|
| Approximate area coverage | 12 sq.m | 6 sq.m | 4 sq.m | 3 sq.m |

Pack Size: 20 kg/bag



สแกน



CP064

KANGAROO Premium Cement Grout (White)

Properties

- Excellent adhesion, eliminating tile falling off
- Reduces stubborn dirt stain buildup with hydrophobic agent added
- Reduces water leakage, the cause of the fungus.
- Prevents and inhibits black mold
- Long service life with greater durability without cracking
- Ideal for grouting indoor and outdoor floor or wall
- Grout line width: 1-6 mm.

Area Coverage (sq.m./bag)

- Covering an area of approximately 4-23 sq.m.

Pack Size: 1 kg/bag



สแกน

Flooring and Leveling



CP009

KANGAROO Floor Leveling Mortar

Properties

- General floor leveling, floor leveling for tiling, floor leveling for rough or polished concrete floor
- Contains special selected aggregates and high-quality chemicals for improved fluidity, easy floor leveling and strong and better quality of work
- Fast and convenience, suitable for the site with limited storage space, such as high-rise buildings in cities with narrow spaces

Area Coverage (sq.m./bag)

- Cover a floor area of approximately 0.45-0.75 sq.m at a thickness of 3-5 cm

Pack Size: 40 kg/bag



สแกน

Flooring and Leveling



JF101

KANGAROO Easy Floor Screed

Properties

- Suitable for floor leveling, thin leveling, concrete floor for decorative materials, such as rubber tile, laminate, parquet, etc.
- Floor leveling for rough or polished concrete floor
- Good fluidity, easy floor leveling
- Smooth, tough and durable floor, reduces cracking
- Cost savings, get quality results faster
- Suitable for both indoor and outdoor applications

Area Coverage (sq.m./bag)

- Covering an area of approximately 0.60-2.0 sq.m. at a thickness of 1-3 cm

Pack Size: 40 kg/bag



CP104

KANGAROO Dry Premixed Concrete (240 KSC)

Properties

- Compressive stress up to 240 KSC
- General floor leveling in small area and small volume such as leveling column head, connecting prefabricated structures, pouring concrete in ligament and lintel, countertop (kitchen, bathroom) and reinforced concrete flashing that require small crushed stone
- High quality concrete for better fluidity, convenience, quick and stronger
- Reduce air gap after removing the formwork ensuring high-quality work
- Fast and convenience, suitable for the site with limited storage space, such as high-rise buildings in cities with narrow spaces

Area Coverage (sq.m./bag)

- Cover an area of approximately 0.40 sq.m. at a thickness of 5 cm

Pack Size: 40 kg/bag



CP052

KANGAROO Non-Shrink Grout (450 KSC)


Properties

- Ideal for filling the gaps between concrete and concrete structures and between concrete and steel structures such as grouting cavities in concrete surfaces, grouting and leveling precast concrete column base, grouting and leveling concrete column head for beam support, grouting concrete wall joints, leveling steel plate base for machine installation and steel column base
- High quality grout for better fluidity, easy concrete pouring, non-shrinking, suitable for quality work.
- Fast and convenience, suitable for the site with limited storage space, such as high-rise buildings in cities with narrow spaces

Area Coverage (sq.m./bag)

- Cover an area of approximately 0.36-0.60 square meters at a thickness of 3-5 cm

Pack Size: 25 kg/bag



PROJECT REFERENCES



The Crystal Solana
Ekamai - Raminthra



The Grand
Pinklao



Malton Gates
Krungthep Kreetha



Nantawan
Rama 9 - New Krungthep Kreetha



Bangkok Boulevard Rama 9
Raminthra - Seri Thai 2



Silverlake Vind
Suwinthawong 78 - Nong Chok



Siri Place
Ratchapruek-Nakhonin



Baan puripuri
Lat Phrao 41



Whizdom the Forestias
Bangna



Park Origin
Thonglor



Hampton Residence
Phyathai

PROJECT REFERENCES



Bu Gaan
Yothinpattana



Vive Rama 9
Krungthep Kreetha



Supalai Elegance
Pinklao



Nirvana Absolute
Bangna



Burasiri
Krungthep Kreetha



Baan Ratchapruek
Ladkrabang



Reignwood Park
Pathumthani




Veranda Residence
Hua Hin



The Coffee Lounge & Forest
Ratchaphruek



Coco Parc Condo
Rama 4



Once Pattaya
Pattaya



Rhythm
Ekamai

QUICKCOAT | THE MORTAR EXPERT

Quick Coat Products Co.,Ltd.

184 moo 7 Nakhon In Rd., Bang Khu Wiang, Bang Kruai, Nonthaburi 11130

☎ 0 2408 9888

🌐 www.quickcoat.co.th

📘 🗨 📺 🎵 @quickcoat



📱 SCANME

☎ Technical Support Hotline : 0 2408 9888 ext. 204